



## General Information

|                 |                             |
|-----------------|-----------------------------|
| Material number | 900175                      |
| Type            | pendant light               |
| Product segment | Indoor                      |
| Theme           | sonstige / nicht zuordenbar |
| FSC®            | FSC® Mix FSC® C152762       |

## Dimensions

|                        |               |
|------------------------|---------------|
| Article Height (in mm) | 1100          |
| Article Width (in mm)  | 35            |
| Article Length (in mm) | 1260          |
| Net Weight (in kg)     | 1.49 Kilogram |

## Material & Colour

|                      |                        |
|----------------------|------------------------|
| Enclosure Material   | aluminium, steel, wood |
| Enclosure Colour     | grey                   |
| Cable Colour         | textil-cable black     |
| Glass/Shade Material | plastic                |
| Glass/Shade Colour   | white                  |

## Functionality

|             |                |
|-------------|----------------|
| Switch Type | without switch |
| Battery     | No             |

## Technical Information

|                   |                  |
|-------------------|------------------|
| Protection Degree | IP20             |
| Protection Class  | 2                |
| Mains Voltage     | 220-240V,50/60Hz |
| Dimmable          | Yes              |
| max. Wattage (1)  | 22W              |

## Illuminant 1

|  |   |
|--|---|
| Socket Type (1)                        | LED   |
| Illuminant Type (1)                    | LED   |
| Illuminant incl. (1)                   | Inclusive                                     |
| Lumen Complete                         | 2500  |
| Kelvin Complete                        | 3000K   |
| Light colour Complete                  | WARM WHITE                                    |
| Energy efficiency class (EEI)          | E   |
| Dimmable                               | Yes   |
| Info changeability□light source/driver | LED + driver can be exchanged by a specialist |

## Compatible Dimmers

ABB - 6523 U-102-500

ABB - 6523 UJGL-214P

ABB - 6526 U-500

BERKER - 8542 12 00

BUSCH-JAEGER - 6523 U-102

BUSCH-JAEGER - 6526 U

ELTAKO - EUD61NPN

FELLER - 40200.LED.FMI.61

GIRA - 236500

GIRA - 244000

GIRA - 245000

GIRA - 245500

GIRA - 540000

GIRA - 540100

JUNG - 1710DE

JUNG - 1711DE

JUNG - 1724DM

JUNG - 1730DD

JUNG - 1731DD

JUNG - UD1755REG

LEGRAND - 7 520 60

LEGRAND - 7 520 62

OPUS - 852095

OPUS - 852096

PEHA - 431 HAN

SCHNEIDER - SBD200LED

SG - LEDDIM 400

SIEMENS - 5TC8 263

SIEMENS - 5TC8211-0

THEBEN - DIMAX 542 plus S

VADSBO - VD100



900175  
LISCIANA

